



Soils Map



Soils data provided by USDA and NRCS.



State: **Iowa**
 County: **Lucas**
 Location: **15-72N-21W**
 Township: **Lincoln**
 Acres: **36.67**
 Date: **8/28/2025**



MIDWEST
LEGACY
 Land & Farm Sales

Maps Provided By:



Area Symbol: IA117, Soil Area Version: 33

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Soil Drainage	Non-Irr Class *c	*i Water-Holding Inch	CSR2**	CSR	*n NCCPI Overall
792D2	Armstrong clay loam, 9 to 14 percent slopes, moderately eroded	8.85	24.1%		Somewhat poorly drained	IVe	9.0	5	13	58
131C	Pershing silt loam, 5 to 9 percent slopes	7.33	20.0%		Somewhat poorly drained	IIle	11.8	65	49	72
179E2	Gara clay loam, 14 to 18 percent slopes, moderately eroded	4.74	12.9%		Well drained	VIe	10.7	23	33	62
65F	Lindley loam, 18 to 25 percent slopes	3.82	10.4%		Well drained	VIIe	9.4	17	10	58
13B	Zook-Olmitz-Vesser complex, 0 to 5 percent slopes	3.48	9.5%		Poorly drained	IIw	11.7	68	53	77
54B	Zook silty clay loam, heavy till, 2 to 5 percent slopes, rarely flooded	2.86	7.8%		Poorly drained	IIw	9.2	71	65	70
94E2	Mystic-caleb complex, 14 to 18 percent slopes, moderately eroded	2.39	6.5%		Somewhat poorly drained	VIe	9.7	17	12	65
1313F2	Munterville silty clay loam, 18 to 25 percent slopes, moderately eroded	2.04	5.6%		Moderately well drained	VIe	0.0	5	5	45
716	Lawson-Quiver-Nodaway complex, 0 to 2 percent slopes, occasionally flooded	1.16	3.2%		Poorly drained	IIw	0.0	78		88
Weighted Average						4.20	9.4	34.8	*-	*n 64.7

**IA has updated the CSR values for each county to CSR2.

*-. CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.